

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)
- adults and children 12 years and over:
 - take 2 caplets at bedtime
 - do not take more than 2 caplets of this product in 24 hours.
- children under 12 years: do not use

Other information

Store in a dry place at 15° – 30°C (59° – 86°F).

Inactive ingredients

croscarmellose sodium, D&C yellow #10 aluminum lake, FD&C blue #1 aluminum lake, hypromellose, magnesium stearate, mineral oil, polyvinylpyrrolidone, pregelatinized starch, silica, sodium starch glycolate, stearic acid, talc, titanium dioxide and triacetin

Questions or comments?

Call (800) 231-4670

**NO COPY
ADHESIVE ZONE**

MAJOR[®]

NDC 0904-6731-51

Extra Strength

Acetaminophen PM

Acetaminophen
and Diphenhydramine HCl

500 mg/25 mg

**Pain reliever /
Nighttime sleep-aid**

50 Caplets

SAVE CARTON FOR COMPLETE DRUG FACTS

Drug Facts

Active ingredients *Purposes*
(in each caplet)

Acetaminophen 500 mg Pain reliever
Diphenhydramine HCl 25 mg Nighttime sleep-aid

Uses temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen.

Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening ■ blisters ■ rash
- If a skin reaction occurs, stop use and seek medical help right away.

Drug Facts (continued on back)

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

DISTRIBUTED BY:

MAJOR[®] PHARMACEUTICALS
INDIANAPOLIS, IN 46268

Rev. 10/23 M-29 Re-Order No. 700920



3 09046 73151 1

PEEL BACK FOR MORE INFORMATION

Lot # & Exp. Date:

R52061