

MAJOR®

NDC 0904-6711-46

*Original Prescription Strength***FEXOFENADINE
HYDROCHLORIDE**Tablets USP, **180 mg** / Antihistamine**ALLERGY***Indoor & Outdoor Allergies*

Non-Drowsy

30 TABLETS
180 mg EACH**24**
HOURTAMPER EVIDENT: DO NOT USE IF FOIL SEAL UNDER
CAP PRINTED WITH "SEALED FOR YOUR
PROTECTION" IS BROKEN OR MISSING**Drug Facts****Active ingredient
(in each tablet)**Fexofenadine HCl USP,
180 mg.....Antihistamine**Purpose****Uses** temporarily relieves these
symptoms due to hay fever or other
upper respiratory allergies: ■ runny
nose ■ itchy, watery eyes
■ sneezing ■ itching of the nose or throat**Warnings** Do not use if you have
ever had an allergic reaction to this
product or any of its ingredients.**Ask a doctor before use if you have**
kidney disease. Your doctor should
determine if you need a different
dose. **When using this product**

- do not take more than directed
- do not take at the same time as
aluminum or magnesium antacids
- do not take with fruit juices (see
Directions)

(Continued On Back Of Label)

Distributed by:

MAJOR® PHARMACEUTICALS

17177 N Laurel Park Drive, Suite 233
Livonia, MI 48152

M-145 Rev. 09/18

Re-order No. 700873

150073784

PEEL
HERE
↓
LOT
EXP**Drug Facts** (continued)

Stop use and ask a doctor if an
allergic reaction to this product
occurs. Seek medical help right
away. **If pregnant or**
breast-feeding, ask a health
professional before use. **Keep out**
of reach of children. In case of
overdose, get medical help or
contact a Poison Control Center
right away.

Directions ■ **adults and****children 12 years of age and**
over take one 180 mg tablet
with water once a day; do not
take more than 1 tablet in 24**hours** ■ **children under 12****years of age** do not use■ **adults 65 years of age and****older** ask a doctor■ **consumers with kidney****disease** ask a doctor**Other information** ■ safetysealed; do not use if carton was
opened or if printed foil inner seal
on bottle is torn or missing■ store between 20° and 25°C
(68° and 77°F) ■ protect from

excessive moisture ■ this

product meets the requirements
of USP Dissolution Test 4**Inactive ingredients** colloidal

silicon dioxide, corn starch,

croscarmellose sodium, FD&C Red no.

40, hypromellose, iron oxide black,

magnesium stearate, mannitol,

polyethylene glycol, powder cellulose

and titanium dioxide.

Questions? Call 1-888-375-3784